

# Colorado Broadband Data & Development Program

## April 30th, 2015 Data Delivery Report

The State of Colorado's first broadband mapping project began when the General Assembly passed SB08-215 and SB09-162, which directed the Office of Information Technology (OIT), working in consultation with the Governor's Innovation Council, to identify broadband service areas within the State and to produce a geographically-based statewide inventory of broadband availability. The resulting data and maps were intended to provide the starting point for developing a strategy for broadband service deployment to the state's underserved areas and to begin the discussion of how to increase broadband adoption and usage in those areas that are currently served. The project also included the development of an interactive web service allowing citizens to toggle on and off broadband technology and speed layers, as well as demographic information, to document any inaccuracies in the current data and to enter their address and determine the providers in their area.

### Purpose of this Report

The report provides details about the various techniques used by OIT to collect data, validate, process, and publish coverage area results. The resulting broadband coverage areas are made available to providers in the form of map books as well as to the general public by publishing the results on the Broadband Mapping Application located at <http://maps.co.gov/coloradobroadband/>.

### Status of Data Collection

The broadband mapping and development efforts began with a third party contractor through a data collection contract signed on March 22, 2010. After the October 2014 data submission, the State Broadband Initiative grant ended and the program was picked up by the State of Colorado. OIT continues to make efforts to improve broadband collection and its broadband data base.

The last six cycles, efforts to track down broadband providers has yielded positive results. Numerous broadband providers have been identified and have participated in our data collection efforts. Between April 2014 and October 2014, 8 new Providers were identified. Currently, 128 Providers have been identified: 6 do not meet broadband requirements, 55 reported 'No Data Change', 45 submitted new data changes or needed corrections, 8 requested we contact the FCC for data, 12 are non-responsive, and 1 are out of business. Effort to identify all broadband providers in Colorado is ongoing as we continue to strive to improve our database.

The following table categorizes all possible broadband service providers in Colorado known to the CBDDP, and indicates the status of their participation in the program:

Service Providers	April 2015
<b>Potential Identified Providers</b>	<b>128</b>
Data Sets Delivered	108
Non-Responsive Providers	12
Not a Broadband Provider	6
Will Not Provide Data – Contact FCC	8
Out of Business	1

The following table describes service providers included in the current data delivery:

Service Provider Updates	April 2015
New Providers	2
Updated Data	45
Responded "No Data Change"	55
<b>Data Sets in Public Database</b>	<b>108</b>

As mentioned in the previous delivery cycles, a GIS team member was hired to specifically focus on the accuracy of the Community Anchor Institution database; with regards to activity, location, and broadband speed. Additionally, in February, our team welcomed a new member to assist in the CAI data collection effort by calling facilities for speed tests and collecting broadband information specific to the institution. OIT is very pleased with the progress that has been made in promoting speed tests among reporting CAI's. We have encouraged our providers to reach out to Community Anchor Institutions within their broadband coverage area and we have personally reached out to known CAI's to update provider information and speed tests. We eliminated duplicate CAI records, expired CAI's, and those which could not be located or identified. OIT has expanded the number of CAIs submitting speed test information between October 2013 and this current dataset. The following table shows the number of community anchor institutions that have been identified in the state:

Community Anchor Institutions	April 2015		
	Identified	Collected	Includes Speed Test
Cat. 1 - School K -12	2390	2390	1002
Cat. 2 - Library	261	261	121
Cat. 3 - Medical/Healthcare	830	830	262
Cat. 4 - Public Safety	1851	1851	622
Cat. 5 - University/College	78	78	20
Cat. 6 - Other Government	1014	1014	311
Cat. 7 - Other non-Government	357	357	8
<b>TOTALS</b>	<b>6781</b>	<b>6781</b>	<b>2346</b>

*The CBDDP chooses to report multiple CAIs at the same address as distinct entities (i.e. a county sheriff's office and a 911 call center at the same address are reported as two distinct entities)*

## Validation and Verification Processes for the April 2015 Data Set

### Techniques:

1. Automated Validation
2. Analysis of Change
3. Visual Review
4. Website Validation
5. Feedback Loop
6. CAI Speed Test Analysis
7. Crowd Sourcing

## 1. Automated Validation

OIT has been developing and improving automated validation scripts since its first data delivery processed in house in April 2011. OIT runs the scripts it has developed on the final dataset post processing in every delivery cycle. The data delivery includes documentation demonstrating that the data has passed the CBMP standards set in place and met all necessary requirements.

OIT's automated script:

- Verifies that feature classes are properly named
- Verifies all columns are properly named and defined
- Verifies all table value domains are adhered to
- Captures the required information to accurately complete the records count and provider table tabs for the data package
- Cross references and creates statistical tables of technology type and valid speed combinations for both service provider and CAI data
- Compares FCC assigned Frequency Reference Numbers (FRNs) to provider names to ensure consistency across the data set
- Ensures consistency in provider names
- Identifies possible duplicates among CAIs
- Creates a statistical table for all features classes, including: records details, service provider information, and attribution frequencies
- Ensures the data model, business rules, and schema are in compliance

## 2. Analysis of Changes

The major changes between the October 2014 and the April 2015 delivery:

- The completion of the FCC's Broadband Initiative.
- The State of Colorado's commitment to refine and further develop the broadband mapping program.
- Changes and increase in detail of data submission requirements for broadband providers.
- Converting new and existing wireline census & roads data to Public Land Survey System (PLSS) QQ sections.
- Implementation of confidence value system in order to better assess coverage quality and accuracy per provider.

The coverage in this delivery reflects the increase or decrease in service from these changes. As a result of efforts to decrease the amount of exaggerated coverage, there has been a decrease in the amount of coverage for some types of features. However, wire line feature counts cannot be compared to October 2014 features due to the difference in spatial units (Block and Road data vs. PLSS quarter quarters). Changes in PLSS feature count will be assessed in the October 2015 delivery.

The following table shows the change in the number of features from October 2014 to April 2015:

	PLSS QQ		Wireless Service		Middle Mile	
	Number of Providers	% Number of Features Changed *	Number of Providers	% Number of Features Changed	Number of Providers	% Number of Features Changed
New Providers	0	0	0	0	0	0
Received new data	30	-42%	25	40%	29	43%
Re-processed existing data	28	20%	41	74%	41	51%
No Changes**	0	100%	0	0%	0	0%

\*PLSS QQ Number of Features Changed is compared to the 2014 Census & Roads data as if those features would have been processed as PLSS QQ. The calculation does not compare similar spatial units.

### 3. Visual Review

OIT routinely reviews the coverage areas of new service providers and those with updates or changes to coverage in preparation for each delivery. After the October 2014 data delivery, in an effort to prevent providers from exaggerating coverage, PLSS quarter-quarter sections and address point data are used in conjunction with imagery to verify and reduce areas of claimed coverage over undeveloped land. PLSS quarter-quarter sections with no address points and no evident development based on imagery were selected and removed from each provider's coverage. Wireless tower locations provided in the April coverage were inspected using aerial imagery in order to identify existing towers on the surface. Where towers could not be identified, OIT contacted the provider to verify the accuracy of tower location information. We also verified tower points falling atop other surface features, for instance, water silos, grain elevators, dwelling structures, or tall buildings. Additionally, tower specification information was requested from all wireless providers, if information was currently unknown. Numerous wireless providers submit PDF's of polygon coverage or claimed coverage extended uniformly a certain radius from tower. In order to prevent further exaggeration of wireless coverage, beam radius, azimuth, tower height, and frequency were requested for each tower to be used in a wireless coverage model. Starting with the April 2015 delivery, address level data is requested of all providers in order for OIT to better verify and represent accurate provider coverage. For landline providers, submitted location data is used to identify which PLSS quarter-quarter sections are included in their respective coverage. With wireless providers, address data and imagery are used to verify that the claimed coverage areas are spread over developed land. A confidence rating was implemented in order to indicate both the quality of the data received from providers, and how accurate the coverage is believed to be. For each provider, the confidence rating is based on the quality of data submitted by provider, as well as the resulting accuracy of the coverage. A more accurate coverage model was created for all the providers in compliance with our requests.

#### 4. Website Validation


After the October 2014 data delivery our team also extended validation efforts to provider website analysis. For all providers having a website, the broadband mapping team visited each site to validate the provider’s maximum advertised download and upload speeds in megabytes per second (Mbps), as well as the price associate with each speed. Previous data deliveries outlined by the NTIA included a speed tier format; however, this method is no longer preferred. Additionally, OIT documented inconsistencies between the data deliveries and the advertised speeds for internal processing. The team created map book for each provider and has emailed those directly to each provider for their review.

#### 5. Feedback Loop

As a routine part of our processing work flow, the mapping team gave all service providers the opportunity to review the final geospatial representation of their data in the form of map books and/or on the Colorado Broadband Mapping Application (<http://maps.co.gov/coloradobroadband/>). Additionally, in the emails the mapping team asked for follow-up conversations to create a dialogue between providers and the mapping team to discuss the inconsistencies found in the information reported on their web sites and coverage submitted for the data delivery.

#### 6. Crowd Sourcing

Colorado broadband speed tests are collected in four ways: a public speed test application, a provider-only speed test application, a CAI speed test, and the Colorado Broadband Mapping Application. The public speed test is located in the CBDDP mapping application (<http://maps.co.gov/ColoradoBroadband>) and an image of the speed test is shown below. A direct link speed test application also exists that can be placed on any website, which will help increase availability of the speed test and collect more results than the CBDDP mapping application alone.



Please Enter Your Test Information Below: 📍

Street:

City:

State:  Zip:

Provider:

Technology:

Monthly Cost:

Speed:

Using the application, the general population can conduct speed tests from their home or office. The speed test is provided by an Ookla application and results are given for download and upload speeds in Mbps. In addition to test results being collected, the user's location, provider name, technology type, and monthly cost are also requested with the test results. The purpose is to collect reports of service from citizens and Community Anchor Institutions in order to compare against provider data. The speed tests are processed quarterly and included in validation for individual providers.

The provider-only speed test application allows providers to submit speed tests during service calls or installations, at which time they are able to test the bandwidth unrestricted by the particular service level subscribed to by the customer. OIT is continuing efforts to collect speed tests using the aforementioned methods, which are used to compare against provider data.

## Summary of Process

During the first two years of the program, the OIT contracted a third party business (Critigen) to perform data processing. Starting with the April 1, 2011 delivery, the OIT hired staff and brought this process in-house. The OIT continued with in-house staff through the remainder of the program to January 15, 2014. In-sourcing has improved data quality and increased the number of providers reporting in comparison to previous deliveries.

The completion of the FCC Broadband Initiative posed many challenges in 2015 to continue mapping state broadband coverage. The State of Colorado has and will continue to map broadband coverage. The NTIA previously designated that all wireline broadband coverage be represented in the form of census blocks from the US Census Bureau. OIT has decided to move away from this unit of representation for broadband purposes based on numerous conversations with providers, surveys, and general complaints about how the data is being represented. Therefore, the Governor's Office of Information Technology will use the Public Land Survey System at the Quarter-Quarter section to map wireline coverage areas. The new geographic unit has increased the level of detail to which we are able to represent coverage areas. Imagery and address location data is used in conjunction with this geographic unit to ensure accuracy and reduce overrepresentation. A more detailed description of the data processing methods is provided in the Process Guide, which is included with the data submission (CO\_Process\_Guide\_2015\_4\_01.pdf).

The CBMP has implemented the following process, which may vary from other state programs:

### Data Collection

1. The data gathering process begins by identifying and contacting potential broadband providers. Participation in the program is voluntary, but many providers choose to support our effort.
2. OIT reaches out to providers who have not previously submitted data, in order to create a more comprehensive state dataset.
3. OIT also contacts each currently participating provider to allow them to report data changes or confirm the existing data is still accurate.
4. OIT works closely with providers to help find the best and most accurate method to submit data. We encourage a uniform data submission across all providers, but accept data in various formats dependent on the provider's software limitations. Additional details are located in the Subscriber Data Requirements located in the Broadband Processing Guide's Call for Data packet.

5. Beginning with the April 2015 cycle, data requirements have changed. New data requirement documents are emailed to providers with OIT's initial outreach package.
6. Numerous providers have expressed concern due to the new requirement of subscriber level data and location for all provider types. OIT enforces a strict confidentiality policy and offers Non-Disclosure Agreements in order to maintain subscriber anonymity and offer assurance to providers.

## Data Processing

In 2015, OIT processed three types of data: wireless, middle mile, and landline. All data is processed in accordance with the Broadband Geoprocessing Guide, which includes loading processed data into the mapping team's Confidence Template, QC Tools, and Staging tool in order to standardize datasets.

### Wireless

- Wireless data submitted as a service coverage area is re-processed for accuracy.
- Wireless data submitted as tower locations is processed using signal propagation software to create a coverage plot.
- Statewide and provider submitted address data is used to verify coverage plots and their proximity to developed areas.
- Confidence values are assigned to each wireless coverage based on quality of data submitted by provider and assessment of accuracy

### Middle Mile

- Middle mile locations reported by the providers using either addresses or coordinates was geocoded and processed following the guide lines.
- Various validation methods are implemented to check the data accuracy, as described in "Validation and Verification" section of this document.
- The OIT requested pricing information but unfortunately because of uncertainty with the FCC 477 Permit requirements many providers acquiesced.
- Representing typical speeds continues to be an issue, as less than two thirds of the providers report typical speed information.

### Wireline or Landline

- Previously, wireline data was divided into three separate categories: census blocks less than two square miles, census blocks greater than two square miles, and service address points. Currently, these forms of data submission are all processed into the PLSS QCs.
- For providers who did not submit new data or claimed no data changes, census block and road data from the October 2014 cycle was used to select their respective coverage in PLSS format.
- Submitted subscriber data was used to generate PLSS coverage in the case of providers which submitted required level data.
- In both cases, statewide address data is used to filter and verify which PLSS quarter-quarter sections in each provider's coverage feature developed (buildings, homes, establishments etc.) land. Imagery allows us to further ensure the provider coverage is representative of developed areas. Address data is not available for several

counties. Imagery analysis of PLSS coverage is particularly helpful for assessing provider coverage which falls within those counties.

- Confidence values are assigned to each provider's PLSS coverage based on the quality of data submitted; address data presence, and imagery analysis.



**TABLES**

<h1>Colorado</h1>
<h2>Data Summary</h2>

File Summary	
File Type	Number of Records
<b>Total Records in all Files</b>	<b>579857</b>
PLSS Quarter Quarters	<b>193405</b>
Wireless	<b>118</b>
Community Anchor Institutions	<b>6781</b>
Middle Mile	<b>1784</b>
Metadata Provided for Geospatial Data	<b>Yes</b>

File Type	Number of Records
<b>Number of ISPs Provided</b>	<b>108</b>
Provider Information	

# Colorado

## PLSS Quarter Quarters

Data Type	Code	Data Element	Count	%
Records Details		Total Records	1555610	
		PLSS with Broadband	137675	
			192101	
		(with & without broadband)	8961	
		Total Census Blocks in the State (with & without broadband)	201062	

Data Type	Code	Data Element	Count	%
Services Provider Details		Number of Distinct Providers	55	
		Number of Distinct "Doing Business As"	52	
		Number of Distinct FRN	55	

Data Type	Code	Data Element	Count	%
Technology	10	Asymmetric xDSL	176731	43.1%
	20	Symmetric xDSL	61576	15.0%
	30	Other Copper Wireless	78107	19.0%
	40	Cable Modem-DOCSIS 3.0	61944	15.1%
	41	Cable Modem-Other	19558	4.8%
	50	Optical Carrier/Fiber	12283	3.0%
	60	Satellite	0	0.0%
	70	Terrestrial Fixed Wireless-Unlicensed	0	0.0%
	71	Terrestrial Fixed Wireless-Licensed	0	0.0%
	80	Terrestrial Mobile Wireless	0	0.0%
	90	Electrical Power Line	0	0.0%
	0	Other	0	0.0%

Data Type	Code	Data Element	Count	%
Max. Advertised Download Speed	3	> 768 kbps, < 1.5 mbps.	2586	0.6%
	4	> 1.5 mbps, < 3 mbps.	27536	6.7%
	5	> 3 mbps, < 6 mbps.	96400	23.5%
	6	> 6 mbps, < 10 mbps.	81402	19.8%
	7	> 10 mbps, < 25 mbps.	90806	22.1%
	8	> 25 mbps, < 50 mbps.	39144	9.5%
	9	> 50 mbps, < 100 mbps.	6523	1.6%
	10	> 100 mbps, < 1 gbps.	59474	14.5%
	11	> 1 gbps.	6523	1.6%

Data Type	Code	Data Element	Count	%
Provider Type	1	Provider	410199	100.0%
	2	Reseller	0	0.0%

Data Type	Code	Data Element	Count	%
End User Name	1	Residential	282790	68.9%
	2	Governmental	126474	30.8%
	3	Small Business	111	0.0%
	4	Med or Lrg Enterprise	824	0.2%

Data Type	Code	Data Element	Count	%
Typical Download Speed	3	>= 768 kbps. < 1.5 mbps.	8942	2.2%
	4	>= 1.5 mbps. < 3 mbps.	32063	7.8%
	5	>= 3 mbps. < 6 mbps.	99768	24.3%
	6	>= 6 mbps. < 10 mbps.	65169	15.9%
	7	>= 10 mbps. < 25 mbps.	79406	19.4%
	8	>= 25 mbps. < 50 mbps.	37373	9.1%
	9	> 50 mbps, < 100 mbps.	344	0.1%
	10	> 100 mbps, < 1 gbps.	114	0.0%
	11	> 1 gbps.	80	0.0%
		ZZ "null"	86940	21.2%

Data Type	Code	Data Element	Count	%
Max. Advertised Upload Speed	2	>200 kbps, < 768 kbps.	18095	4.4%
	3	>= 768 kbps. < 1.5 mbps.	81202	19.8%
	4	> 1.5 mbps, < 3 mbps.	55760	13.6%
	5	> 3 mbps, < 6 mbps.	107993	26.3%
	6	> 6 mbps, < 10 mbps.	38490	9.4%
	7	> 10 mbps, < 25 mbps.	96333	23.5%
	8	> 25 mbps, < 50 mbps.	4392	1.1%
	9	> 50 mbps, < 100 mbps.	1366	0.3%
	10	> 100 mbps, < 1 gbps.	240	0.1%
	11	> 1 gbps.	6328	1.5%

Data Type	Code	Data Element	Count	%
Typical Upload Speed	2	>200 kbps, < 768 kbps.	34913	8.5%
	3	> 768 kbps, < 1.5 mbps.	61572	15.0%
	4	> 1.5 mbps, < 3 mbps.	56237	13.7%
	5	> 3 mbps, < 6 mbps.	99023	24.1%
	6	> 6 mbps, < 10 mbps.	40266	9.8%
	7	> 10 mbps, < 25 mbps.	28086	6.8%
	8	> 25 mbps, < 50 mbps.	2957	0.7%
	9	> 50 mbps, < 100 mbps.	125	0.0%
	10	> 100 mbps, < 1 gbps.	0	0.0%
	11	> 1 gbps.	11	0.0%
		ZZ "null"	86940	21.2%

# Wireless

Data Type	Code	Data Element	Count	%
Record		Total Records	118	

Services Provider Details	Code	Data Element	Count	%
		Number of Distinct Providers	67	
		Number of Distinct "Doing Business As"	66	
		Number of Distinct FRN	65	

Technology	Code	Data Element	Count	%
	10	Asymmetric xDSL	0	0.00%
	20	Symmetric xDSL	0	0.00%
	30	Other Copper Wireless	0	0.00%
	40	Cable Modem-DOCSIS 3.0	0	0.00%
	41	Cable Modem-Other	0	0.00%
	50	Optical Carrier/Fiber	0	0.00%
	60	Satellite	6	5.08%
	70	Terrestrial Fixed Wireless-Unlicensed	70	59.32%
	71	Terrestrial Fixed Wireless-Licensed	13	11.02%
	80	Terrestrial Mobile Wireless	29	24.58%
	90	Electrial Power Line	0	0.00%
	0	Other	0	0.00%

Max. Advertised Download Speed	Code	Data Element	Count	%
	3	> 768 kps, < 1.5 mbps.	7	5.93%
	4	> 1.5 mbps, < 3 mbps.	12	10.17%
	5	> 3 mbps, < 6 mbps.	17	14.41%
	6	> 6 mbps, < 10 mbps.	17	14.41%
	7	> 10 mbps, < 25 mbps.	48	40.68%
	8	> 25 mbps, < 50 mbps.	8	6.78%
	9	> 50 mbps, < 100 mbps.	4	3.39%
	10	> 100 mbps, < 1 gbps.	4	3.39%
11	> 1 gbps.	1	0.85%	

Spectrum	Code	Data Element	Count	%
	1	800 Mhz Spectrum Used	5	4.24%
	2	700 Mhz Spectrum Used	6	5.08%
	3	1900 Mhz Spectrum Used	12	10.17%
	4	1700 Mhz Spectrum Used	9	7.63%
	5	2500 Mhz Spectrum Used	6	5.08%
	6	Unlicensed Spectrum Used	71	60.17%
	7	Specialist Mobile Radio Service	1	0.85%
	8	Wireless Communication Service	2	1.69%
9	Satellite	6	5.08%	

Data Type	Code	Data Element	Count	%
Typical Download Speed	2	>200 kps, < 768 kps.	4	3.39%
	3	> 768 kps, < 1.5 mbps.	2	1.69%
	4	> 1.5 mbps, < 3 mbps.	4	3.39%
	5	> 3 mbps, < 6 mbps.	11	9.32%
	6	> 6 mbps, < 10 mbps.	11	9.32%
	7	> 10 mbps, < 25 mbps.	7	5.93%
	8	> 25 mbps, < 50 mbps.	1	0.85%
	9	> 50 mbps, < 100 mbps.	0	0.00%
	10	> 100 mbps, < 1 gbps.	0	0.00%
		ZZ "null"	78	66.10%

Data Type	Code	Data Element	Count	%
Max. Advertised Upload Speed	2	>200 kps, < 768 kps.	8	6.78%
	3	> 768 kps, < 1.5 mbps.	19	16.10%
	4	> 1.5 mbps, < 3 mbps.	25	21.19%
	5	> 3 mbps, < 6 mbps.	29	24.58%
	6	> 6 mbps, < 10 mbps.	12	10.17%
	7	> 10 mbps, < 25 mbps.	13	11.02%
	8	> 25 mbps, < 50 mbps.	5	4.24%
	9	> 50 mbps, < 100 mbps.	3	2.54%
	10	> 100 mbps, < 1 gbps.	3	2.54%
	11	> 1 gbps.	1	0.85%

Data Type	Code	Data Element	Count	%
Typical Upload Speed	2	>200 kps, < 768 kps.	6	5.08%
	3	> 768 kps, < 1.5 mbps.	11	9.32%
	4	> 1.5 mbps, < 3 mbps.	10	8.47%
	5	> 3 mbps, < 6 mbps.	8	6.78%
	6	> 6 mbps, < 10 mbps.	4	3.39%
	7	> 10 mbps, < 25 mbps.	1	0.85%
	8	> 25 mbps, < 50 mbps.	0	0.00%
	9	> 50 mbps, < 100 mbps.	0	0.00%
	10	> 100 mbps, < 1 gbps.	0	0.00%
		ZZ "null"	78	66.10%

# Colorado

## Community Anchor Institution

Data Type	Code	Data Element	Count	%
Record Details		Total Records	6781	
Anchor Category	1	School-K through 12	2390	35.23%
	2	Library	261	3.85%
	3	Medical/healthcare	830	12.24%
	4	Public safety	1851	27.3%
	5	University, college, other post-secondary	78	1.15%
	6	Other community support-/gov't	1014	14.95%
	7	Other community support-non-/gov't	357	5.26%

Data Type	Code	Data Element	Count	%
Technology	10	Asymmetric xDSL	998	14.72%
	20	Symmetric xDSL	44	0.58%
	30	Other Copper Wireless	1730	29.17%
	40	Cable Modem-DOCSIS 3.0	39	0.53%
	41	Cable Modem-Other	161	2.37%
	50	Optical Carrier/Fiber	1978	29.17%
	60	Satellite	36	0.53%
	70	Terrestrial Fixed Wireless-Unlicensed	35	0.52%
	71	Terrestrial Fixed Wireless-Licensed	102	1.5%
	80	Terrestrial Mobile Wireless	1	0.01%
	90	Electrical Power Line	0	0.0%
	0	Other	0	0.0%
		-9999 "null"	1658	24.45%

Data Type	Code	Data Element	Count	%
Max. Advertised Download Speed	1	< 200 kbps.		
	2	>200 kbps, < 768 kbps.	33	.49%
	3	> 768 kbps, < 1.5 mbps.	127	1.87%
	4	> 1.5 mbps, < 3 mbps.	372	5.48%
	5	> 3 mbps, < 6 mbps.	378	5.57%
	6	> 6 mbps, < 10 mbps.	232	3.42%
	7	> 10 mbps, < 25 mbps.	606	8.93%
	8	> 25 mbps, < 50 mbps.	195	2.87%
	9	> 50 mbps, < 100 mbps.	103	1.52%
	10	> 100 mbps, < 1 gbps.	126	1.86%
	11	> 1 gbps.	4	0.05%
	ZZ "null"	4599	67.82%	

Data Type	Code	Data Element	Count	%
Max. Advertised Upload Speed	1	< 200 kbps.	1	0.01%
	2	>200 kbps, < 768 kbps.	98	1.45%
	3	> 768 kbps, < 1.5 mbps.	241	3.55%
	4	> 1.5 mbps, < 3 mbps.	377	5.55%
	5	> 3 mbps, < 6 mbps.	463	6.83%
	6	> 6 mbps, < 10 mbps.	363	5.35%
	7	> 10 mbps, < 25 mbps.	408	6.01%
	8	> 25 mbps, < 50 mbps.	93	1.37%
	9	> 50 mbps, < 100 mbps.	54	.8%
	10	> 100 mbps, < 1 gbps.	79	1.17%
	11	> 1 gbps.	5	0.07%
	ZZ "null"	4599	67.82%	

Data Type	Code	Data Element	Count	%
Y/N Broadband Service	Y	Yes-Subscribers to Service	5056	74.56%
	N	No-Does Not Subscribers to Service	400	5.89%
	U	Unknown	1325	19.54%

Data Type	Code	Data Element	Count	%
Lat/Long Accuracy	1	Lat/Long falls within the State	6781	
	2	Total Lat/Long	6781	100%

Data Type	Code	Data Element	Count	%
Anchor Names		Total Count Anchors Names	6781	
		Distinct Count of Anchor Names	6590	

Data Type	Code	Data Element	Count	BB Info
Community Anchor Institution Category Count with Broadband Information	1	School-K through 12	2390	2053
	2	Library	261	248
	3	Medical/healthcare	830	685
	4	Public safety	1851	1503
	5	University, college, other post-secondary	78	54
	6	Other community support-/gov't	1014	504
	7	Other community support-non-/gov't	357	9
	Totals	6781	5056	

Data Type	Code	Data Element	Count	%
Public WIFI	Y	Yes	442	
	N	No	4899	
	U	Unknown	1440	

# Colorado

## Middle Mile

Data Type	Code	Data Element	Count	%	Data Type	Code	Data Element	Count	%
Record Details		Total Records	1784		Facility Type	1	Fiber	559	31.33%
						2	Copper	4	0.22%
Services Provider Details		Number of Distinct Providers	71			3	Hybrid Fiber Coax (HFC)	1	0.06%
		Number of Distinct "Doing Business As"	67			4	Wireless	1220	68.38%
		Number of Distinct FRN	70				N/A "null"	0	0.0%
Ownership	0	Owned	1015	56.89%	Lat / Long		# of Lat/Long in State	1784	100%
	1	Leased	769	43.11%			Total Lat/Long	1784	
Facility Capacity	1	Multiple T1's and less than 40 mbps.	902	50.56%	Elevation		Number of Data Points	1784	
	2	Greater than 40 mbps. and less than 150 mbps.	163	9.13%			Lowest Elevation	0	
	3	Greater than 150 mbps. and less than 600 mbps.	191	10.7%			Highest Elevation	350	
	4	Greater than 600 mbps. and less than 2.4 gbps.	155	8.68%					
	5	Greater than 2.4 gbps. and less than 10 gbps.	1	0.05%					
	6	Greater than 10 gbps	372	20.85%					

# Colorado

## Distinct Speed Tiers Provided

Technology Codes	Allowable		
	Down	Up	
10	Asymmetric xDSL	3 to 10	2 to 9
20	Symmetric xDSL	3 to 9	2 to 9
30	Other Copper Wireless	3 to 11	2 to 11
40	Cable Modem-DOCSIS 3.0	9 to 10	2 to 7
41	Cable Modem-Other	3 to 7	2 to 7
50	Optical Carrier/Fiber to End User	3 to 11	2 to 11
60	Satellite	3 to 7	2 to 5
70	Terrestrial Fixed Wireless- Unlicensed	3 to 7	2 to 7
71	Terrestrial Fixed Wireless- Licensed	3 to 7	2 to 7
80	Terrestrial Mobile Wireless	3 to 7	2 to 6
90	Electric Power Lines	3 to 5	2 to 5
0	All Other	3 to 11	2 to 11

Speed Tier Codes	
1	< 200 kbps.
2	>200 kbps, < 768 kbps.
3	> 768 kbps, < 1.5 mbps.
4	> 1.5 mbps, < 3 mbps.
5	> 3 mbps, < 6 mbps.
6	> 6 mbps, < 10 mbps.
7	> 10 mbps, < 25 mbps.
8	> 25 mbps, < 50 mbps.
9	> 50 mbps, < 100 mbps.
10	> 100 mbps, < 1 gbps.
11	> 1 gbps.